

GLOBAL PRODUCT CATALOGUE

WASHROOM ACCESSORIES



BUILDING VALUE SINCE 1906



VALUE, REALISED.

Realise your vision and make it last. With the right products, resources and support, your next project can look great for years to come.

NEW PRODUCTS



B-824
SureFlo™ Automatic Counter-Mounted Liquid Soap Dispenser

Uses bulk liquid soap for significant savings.
Page 8



B-3725
TrimLineSeries Recessed Hand Dryer

Ideal for prestige and upscale facilities.
Page 28



B-38031
TrimLineSeries™ Paper Towel Dispenser, Warm Air Hand Dryer and Waste Bin 3-in-1 Combination Unit

Space-saving design with economical function.
Page 16



B-7125
InstaDry™ Jet Dryer

The industry's most sustainable jet dryer.
Page 28



Extended Cubicle Collection

Add convenience and style to any cubicle.
Page 36



Extended TrimLineSeries Accessories

New surface-mounted design options.
Pages 23, 31, 37, 42







B-635
Klutch Mobile Device Holder

Holds devices safely and securely.
Page 46

CONTENTS

- 2. Integrated Accessory Series
- 4. Restroom Accessories
- 6. Soap Dispensers
- 12. Combination Units
- 20. Paper Towel Dispensers
- 26. Hand Dryers
- 30. Waste Bins
- 32. Mirrors
- 34. Toilet Compartment Accessories
- 36. Cubicle Collection
- 37. Toilet Tissue Dispensers
- 40. Grab Bars
- 42. Sanitary Bins
- 43. Seat Cover Dispensers
- 44. Specialty Accessories
- 46. Bathroom Accessories
- 48. Childcare Accessories
- 51. **NEW** Healthcare Accessories
- 52. Why Bobrick?

LEGEND

- NEW** Introduced in 2017 or later
- IMPROVED** Operational improvement(s) or new feature(s)
-  Sustainable operation by reducing waste and/or consumable usage
-  TowelMate™ paper towel-saving accessory available
-  LinerMate™ bin liner retainer accessory available
-  Cost Savings Calculator available at bobrick.com

INDEX

| Product | Pages | |
|---------------------|--------|-----------------------|
| B-165 Series | 32 | 3974-250 |
| B-1658 Series | 33 | B-398 |
| 204-2 | 47 | B-4063 |
| 262-130* | 24 | B-4112 |
| B-2012 | 10 | B-4207 |
| B-2111 | 11 | B-4221 |
| B-220816 | 51 | B-4262 |
| B-221 | 43 | B-4288 |
| B-254 | 42 | B-4354 |
| B-262 | 23 | B-43644 |
| B-26607 | 11 | B-4369 |
| B-26627 | 11 | B-4388 |
| B-268 | 30 | B-43944* |
| B-270 | 42 | B-4998* |
| B-277 | 30 | B-50516 |
| B-279 | 31 | B-526 |
| B-2888* | 38 | B-532 |
| B-2890 | 39 | B-541 |
| B-2892 | 39 | B-542 |
| B-290 Series* | 32 | B-543 |
| B-2908 Series | 33 | B-544 |
| B-293 Series* | 32 | B-545 |
| B-297 | 46 | B-546 |
| B-29744 | 25 | B-547 |
| B-3013 | 43 | B-548 |
| B-318 | 22 | B-549 |
| B-35139 | 42 | B-5806 |
| B-35303 | 42 | B-580616 |
| B-35633 | 31 | B-58616 |
| B-35643 | 31 | B-635 |
| B-3574 | 43 | B-6699 |
| B-3588 | 37 | B-671 |
| B-35883 | 37 | B-676 |
| B-359 | 23 | B-680 |
| B-359039 | 23 | B-6806 |
| B-3644 | 30 | B-68137 |
| 367-60 | 13 | B-68616 |
| 368-60 | 13 | B-699 |
| 369-130* | 24 | B-6999 |
| B-36903 | 15 | B-7125 |
| B-3725* | 28 | B-7128 |
| B-3803 | 15 | B-715 |
| 3803-130* | 24 | B-7188 |
| B-38031* | 16 | B-778 |
| B-38033 | 17 | B-7816 |
| B-38034 | 17 | B-822 Series |
| B-3888 | 38 | B-823 Series* |
| B-39003 | 18 | B-824* |
| 39003-130* | 24 | B-918116 Series |
| B-3944 | 18 | KB101-00 |
| 3944-52 | 13 | KB110-SSRE |
| 3944-130* | 24 | KB111-SSRE |
| B-3961* | 19 | KB200-00* |
| 3961-50 | 13 | KB200-01SS |
| B-3974 | 19, 25 | KB208-01 |

*Patent or patent pending. For patent information, please visit bobrick.com/patents.

For Additional Products, Tools & Documentation

For Technical Data Sheets, Guide Specifications, CAD Files, BIM Objects, Installation Instructions and more, visit Bobrick online.


- bobrick.com Corporate (US)
- bobrick.co.uk English
- bobrick.de German
- bobrick.la Spanish



DESIGN INTEGRATED ACCESSORY SERIES

TrimLineSeries™

TrimLineSeries features a contemporary minimalist design, manufactured with satin-finish type 304 stainless steel. The low-profile TrimLineSeries warm air hand dryer extends the Series and supports inclusive design for accessibility compliance. TrimLineSeries features 90° angles on all exterior and interior corners and openings. Flanges are concealed for additional design simplicity.



Flush-mounted,
rectangular doors
and openings.



TrimLineSeries
One Bank Street, United Kingdom

© 2018 BRE Group. "BREEAM Societe Generale 1 Bank Street Exterior." Creative Commons License: CC BY-ND 2.0
<https://www.flickr.com/photos/brewatford/44156437650>



ClassicSeries™

A seamless flange is the visual trademark of ClassicSeries, our most comprehensive selection of washroom accessories. ClassicSeries accessories feature satin-finish type 304 stainless steel throughout, whilst being engineered for the economic demands of price-sensitive projects.



Classic beveled flanges, hemmed edges, piano hinges.

ConturaSeries™

ConturaSeries sets the bar for design integrity and quality. ConturaSeries towel dispensers feature the TowelMate™ paper saving system, which limits paper delivery to one towel at a time. This eliminates towel bunching and waste, saving 20% or more in paper towels, preserving the environment and lowering operating costs. ConturaSeries waste bins include LinerMate™ bin liner retainers, which provide a neat, flush appearance with no unsightly bag overhang. ConturaSeries is manufactured with satin-finish type 304 stainless steel.



Seamless monoform draws, flush locks, precise fit and finish.



RESTROOM ACCESSORIES



B-290
Welded-Frame Mirror

Page 32



B-38031
TrimLineSeries 3-in-1
Recessed Paper Towel
Dispenser, Automatic
Hand Dryer and Waste Bin

Page 16




B-824
SureFlo Automatic
Counter-Mounted
Liquid Soap Dispenser

Page 8



B-3725
TrimLineSeries Recessed
Hand Dryer
Page 28



Corporate Office
Products: B-290, B-38030, B-824



Healthcare Facility
Products: B-29744, B-275, B-290, B-824



SOAP DISPENSERS

What makes an effective soap dispenser specification?

The right soap dispenser should meet the needs of your building's unique traffic. It should save time and money for the building owner, while minimising consumables usage—all while providing durable, long-lasting functionality. In addition, they should not lock the building owner into lengthy and costly commitments to proprietary soap cartridges. Bobrick soap dispensers address these challenges with a range of automatic, manual, liquid and foam bulk soap options.





AUTOMATIC OR MANUAL?

Although the no-touch restroom is quickly becoming industry standard, automatic accessories are not a universal solution. Some projects may benefit from manual operation.



Automatic Operation

Benefits

- Enhances hygiene, reduces cross-contamination
- Controls soap usage with portion control
- Creates a seamless, modern experience

Ideal Applications

- Prestige or high-end buildings
- Low to medium traffic facilities
- Washrooms with other touch-free accessories, especially faucets




Manual Operation

Benefits

- No batteries or power source required
- Foam soap offers greater hand coverage, discouraging excessive usage
- More mounting options

Ideal Applications

- Buildings with limited janitorial staff or resources
- High-traffic facilities
- Projects with stringent capital budgets



IMPROVED

B-824

AUTOMATIC LIQUID SOAP DISPENSER



IMPROVED B-824

SureFlo Automatic Counter-Mounted Soap Dispenser

More robust construction and easier installation ensure longer life for greater savings. Top-filling, counter-mounted, sensor-activated soap dispensers. Chrome finish for design continuity. Use of non-proprietary bulk liquid soaps for significant cost-in-use savings. Post-consumer waste reduction by 57% versus cartridges contributes to sustainability. Patented.



| | Unit |
|----------------------------|------|
| Capacity (litres) | 1.0 |
| Spout Length | 170 |
| Maximum Mounting Thickness | 50 |

DESIGNER'S NOTE

The B-824's architectural design and hygienic function make it ideal for high-end applications and prestige buildings.



NEW

B-823 SERIES

MANUAL FOAM SOAP DISPENSERS



NEW B-823 Series

Manual Foam Counter-Mounted Soap Dispensers

Top-filling, counter-mounted foaming soap dispensers for ease of maintenance and labour savings. Vandal-resistant locking cover and spout. Corrosion-resistant. Bright-polished spout, cover and escutcheon. High-impact-resistant ABS body and shank. Shatter-resistant polyethylene container. Patented.



| | B-823 | B-8231 |
|------------------------|--------|---------|
| Capacity (litres) | 1.0 | 0.6 |
| Spout Length | 100 | 100 |
| Max Mounting Thickness | 100 | 100 |
| | B-8236 | B-82316 |
| Capacity (litres) | 1.0 | 0.6 |
| Spout Length | 150 | 150 |
| Max Mounting Thickness | 100 | 100 |

Explore Bobrick's extensive range of Soap Dispensers at bobrick.co.uk.



SOAP DISPENSERS



B-822 Series
Manual Liquid Counter-Mounted Soap Dispensers

Top-filling, counter-mounted liquid soap dispensers for ease of maintenance and labour savings. Bright-polished, vandal-resistant locking cover and spout. High-impact resistant body and shank.

| | B-822 | B-8221 |
|------------------------|--------|---------|
| Capacity (litres) | 1.0 | 0.6 |
| Spout Length | 100 | 100 |
| Max Mounting Thickness | 100 | 25 |
| | B-8226 | B-82216 |
| Capacity (litres) | 1.0 | 0.6 |
| Spout Length | 150 | 150 |
| Max Mounting Thickness | 100 | 25 |



B-4112
ConturaSeries
Surface-Mounted Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Vandal resistant.

| | Unit |
|-------------------------------|------|
| Width | 178 |
| Height | 156 |
| Depth Wall to Push-button | 84 |
| Accessibility Mounting Height | 1245 |



B-2012
Automatic Wall-Mounted Soap Dispenser

No-touch activation promotes hygiene. Satin-finish stainless steel is durable and coordinates with other Bobrick accessories. Bulk-fill 850ml reservoir provides savings compared to proprietary cartridges. Dispenses hand sensitizers and surgical soaps. Easily installs.

B-2013, which dispenses foam soap, is also available.


| | Unit |
|--------|------|
| Width | 108 |
| Height | 242 |
| Depth | 107 |



B-4063
ConturaSeries
Recessed Soap Dispenser

Corrosion-resistant valve dispenses all-purpose hand soaps. Satin-finish stainless steel front with plastic soap vessel attached to back. Capacity: 1.5L. Soap refill window. Pulls out for maintenance.

| | Unit | Wall Opening |
|--------------------------------|------|--------------|
| Width | 185 | 149 |
| Height | 162 | 140 |
| Recess | 98 | 102 |
| Projection Wall to Push-button | 41 | N/A |
| Accessibility Mounting Height | 1245 | 1230 |



**B-26627
TrimLineSeries**

Surface-Mounted Foam Soap Dispenser

Satin-finish stainless steel. Accepts foaming soap cartridges or bulk-fill foaming soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.



**B-26607
TrimLineSeries**

Surface-Mounted Liquid Soap Dispenser

Satin-finish stainless steel. Accepts liquid soap cartridges or bulk-fill soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

| | B-26627 | B-26637 |
|-------------------------------|---------|---------|
| Width | 96 | 96 |
| Height | 298 | 337 |
| Projection | 153 | 153 |
| Capacity (litres) | 0.5 | 1 |
| Accessibility Mounting Height | 1380 | 1420 |

| | B-26607 | B-26617 |
|-------------------------------|---------|---------|
| Width | 96 | 96 |
| Height | 298 | 337 |
| Projection | 153 | 153 |
| Capacity (litres) | 0.5 | 1 |
| Accessibility Mounting Height | 1380 | 1420 |



**B-2111
ClassicSeries**

Surface-Mounted Soap Dispenser

Vertical tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filter-top requires special key to open. Vandal resistant. B-2112, with horizontal tank, is also available.

| | Unit |
|-------------------------------|------|
| Width | 178 |
| Height | 156 |
| Depth Wall to Push-button | 84 |
| Accessibility Mounting Height | 1245 |



DESIGNER'S NOTE

Bobrick stainless steel soap dispensers are not designed to dispense alcohol-based hand sanitisers or iodine-based surgical soaps. To help prevent corrosion and extend the service life of B-2111, B-2112 and B-4112 soap dispensers, use chloride-free and pH-neutral liquid soaps.



COMBINATION UNITS

Make the most of a limited footprint.

And how can you do so while still supporting your patrons' unique hand-drying and waste-disposal needs? Bobrick Combination Units offer flexibility in form and function, allowing patrons to fulfill various functions with one convenient unit. Recessed units make the most of limited space while supporting high-end design. Sustainable dispensing solutions economise paper towel usage, resulting in operating cost reduction and decreased maintenance expense. Durable construction means that you can rest assured that your specification will have a lasting impact.





INTERCHANGEABLE MODULES



Adapt To Hand-Drying Needs

A washroom may serve different patrons and traffic patterns over the course of the building's life cycle. This may require switching between different paper towel dispensing solutions.

Convertible series cabinets allow facility managers to change between folded, mechanical roll and automatic roll paper towel dispensers, without inconvenience or additional cost. Waste bin capacity can also be adjusted in the field without changing the cabinet.

Flexible Solutions

The following modules can be interchanged in **B-3974** (page 19), **B-3944** (page 18), **B-3961** (page 19) and their alternate models. Modules can also be used in many other manufacturers' similar cabinets.



3944-52
Folded Towel
Dispenser Module



367-60
45.4L Waste
Bin Module



3961-50
Touch-Free, Pull Roll
Towel Dispenser
Module



368-60
68.1L Waste
Bin Module



IMPROVED
3974-250
Automatic Roll Towel
Dispenser Module



COMBINATION UNITS



B-43944 ConturaSeries

Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Waste bin has 53.8L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.



| | Unit B-43944 | Unit B-43949 | Wall Opening B-43944 |
|-------------------------------|-----------------|-----------------|-------------------------|
| Width | 443 | 446 | 406 |
| Height | 1429 | 1432 | 1391 |
| Recess | 100 | N/A | 102 |
| Projection | 130 | 232 | N/A |
| Accessibility Mounting Height | 1555 | 1555 | 1530 |



B-4369 ConturaSeries

Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste bin has 11.4L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.



| | Unit B-4369 | Unit B-43699 | Wall Opening B-4369 |
|-------------------------------|----------------|-----------------|------------------------|
| Width | 324 | 327 | 298 |
| Height | 711 | 714 | 676 |
| Recess | 100 | N/A | 102 |
| Projection | 64 | 168 | N/A |
| Accessibility Mounting Height | 1340 | 1340 | 1315 |



B-3803
TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single fold towels. Removable, leak-proof, 23.8L waste container.



| | Unit | | Wall Opening | |
|-------------------------------|--------|---------|--------------|---------|
| | B-3803 | B-38034 | B-3803 | B-38034 |
| Width | 330 | 330 | 292 | 292 |
| Height | 1400 | 1400 | 1362 | 1362 |
| Recess | 143 | 92 | 146 | 95 |
| Projection | 14 | 14 | N/A | N/A |
| Accessibility Mounting Height | 1545 | 1545 | 1520 | 1520 |



B-36903
TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 6.1L waste container. Cabinet does not lock.



| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 330 | 292 |
| Height | 791 | 749 |
| Recess | 92 | 95 |
| Projection | 14 | N/A |
| Accessibility Mounting Height | 1295 | 1270 |



NEW
TRIMLINE SERIES
 3-IN-1 COMBINATION UNIT



NEW B-38031
TrimLineSeries

3-in-1 Recessed Paper Towel Dispenser, Automatic Hand Dryer and Waste Bin

Reduces towel usage up to 30% with TowelMate built in. Sustainable 900-watt high-performance hand dryer for reduced energy consumption and waste. Flush TrimLine space-saving design and robust satin-finish stainless steel construction, complementing washrooms from Class-A offices to fine restaurants. Door has 90° return. Dispenses 600 multifold or 450 C-fold paper towels. Removable, leak-proof, 46.8L waste container. Meets reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards. Minimalistic styling with single-door design. Available in 115V and 230V versions. **B-38030** similar to B-38031, but with 13.7L waste container. Patented.




| | Unit B-38031 | Unit B-38030 | Wall Opening B-38031 | Wall Opening B-38030 |
|--------|-----------------|-----------------|-------------------------|-------------------------|
| Width | 396 | 396 | 362 | 362 |
| Height | 1448 | 1448 | 1412 | 1412 |
| Recess | 195 | 100 | 202 | 102 |

Features & Benefits

Reduces towel usage, energy use and waste while providing a fast, comfortable hand dry.

- **Economical:** Patented TowelMate dispenses a single towel at a time eliminating bunching, reducing usage by up to 20%.
- **Quiet & Efficient:** Operates quietly and provides a comfortable, complete hand-dry.

- **Sustainable:** Patrons reduce consumption and waste by combining a 900-watt high performance dual-air hand dryer and a single paper towel.
- **Compliant:** Paper dispenser, air outlets and waste disposal meet reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards.
- **Durable:** Robust type 304 stainless steel hinges provide long life, vandal resistance and easy maintenance.



B-38033
TrimLineSeries

Recessed Paper Towel Dispenser/Automatic Hand Dryer/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 450 C-fold, 600 multifold or 850 single-fold paper towels. Removable leak-proof, 12.5L waste container. Hand dryer: 220-240V AC, 7 Amp, 1500-1700 Watts, 50/60 Hz, Single Phase, VDE approved and CE marked. **815969** similar to B-38033, but unit is narrower and taller.

| | Unit | | Wall Opening | |
|-------------------------------|---------|--------|--------------|--------|
| | B-38033 | 815969 | B-38033 | 815969 |
| Width | 384 | 330 | 349 | 292 |
| Height | 1416 | 1829 | 1381 | 1794 |
| Recess | 143 | 92 | 146 | 95 |
| Projection | 14 | 14 | N/A | N/A |
| Accessibility Mounting Height | 1545 | 1740 | 1520 | 1740 |



B-38034
TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold or 800 multifold towels. Removable, leak-proof, 14.4L waste container. **B-3803**, which also dispenses 1100 single-fold towels, with removable, leak-proof, 24L waste container, is also available.



| | Unit | | Wall Opening | |
|-------------------------------|--------|---------|--------------|---------|
| | B-3803 | B-38034 | B-3803 | B-38034 |
| Width | 330 | 330 | 349 | 292 |
| Height | 1400 | 1400 | 1381 | 1794 |
| Recess | 143 | 143 | 146 | 146 |
| Projection | 14 | 14 | N/A | N/A |
| Accessibility Mounting Height | 1545 | 1545 | 1520 | 1520 |



COMBINATION UNITS



B-39003 TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 45.5L waste container.



| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 437 | 406 |
| Height | 1422 | 1391 |
| Recess | 194 | 200 |
| Projection | 14 | N/A |
| Accessibility Mounting Height | 1535 | 1510 |



B-3944 ClassicSeries

Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes folded paper towel module and 45.4L waste bin module which can be interchanged with an automatic or touch-free roll towel module and 68.1L waste bin module. Seamless, beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste bin is locked into cabinet.



| | Unit | Unit | Unit | Unit | Wall Opening | |
|-------------------------------|--------|--------|--------|--------|------------------|--------|
| | B-3944 | B-3942 | B-3947 | B-3949 | B-3944 B-3947 | B-3942 |
| Width | 437 | 443 | 447 | 443 | 406 | 406 |
| Height | 1422 | 1429 | 1422 | 1429 | 1391 | 1391 |
| Recess | 100 | 50 | 100 | N/A | 102 | 51 |
| Projection | 105 | 158 | 208 | 208 | N/A | N/A |
| Accessibility Mounting Height | 1534 | 1534 | 1534 | 1534 | 1510 | 1510 |



CLASSICSERIES RECESSED CONVERTIBLE COMBINATION UNITS



B-3961 ClassicSeries

Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes touch-free roll towel module and 45.4L waste bin module which can be interchanged with an automatic or folded towel module and 68.1L waste bin module. Seamless, beveled flange. Mechanism dispenses 305mm length per pull of non-proprietary roll paper towels. Accommodates 203mm wide, up to 203mm diameter rolls, 244mm long. Removable waste bin is locked into cabinet.



| | Unit | Unit | Unit | Wall Opening | |
|-----------------|--------|---------|---------|--------------|---------|
| | B-3961 | B-39617 | B-39619 | B-3961 | B-39617 |
| Width | 437 | 437 | 445 | 406 | 406 |
| Height | 1422 | 1422 | 1430 | 1391 | 1391 |
| Recess | 100 | 100 | N/A | 102 | 102 |
| Projection | 130 | 206 | 210 | N/A | N/A |
| Accessibility | 1400 | 1400 | 1430 | 1375 | 1375 |
| Mounting Height | | | | | |



B-3974 ClassicSeries

Recessed Convertible Automatic Roll Towel Dispenser/Waste Bin

Improved activation and delivery system are more user-friendly. Sensor-operated towel dispenser accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Accommodates stub roll up to 89mm diameter with automatic transfer. Battery or AC powered. Removable 45.4L waste bin is locked into cabinet.



| | Unit | Unit | Unit | Wall Opening | |
|-----------------|--------|--------|---------|--------------|---------|
| | B-3974 | B-3979 | B-39747 | B-3974 | B-39747 |
| Width | 437 | 445 | 437 | 406 | 406 |
| Height | 1422 | 1430 | 1422 | 1391 | 1391 |
| Recess | 100 | N/A | 100 | 102 | 102 |
| Projection | 130 | 235 | 206 | N/A | N/A |
| Accessibility | 1460 | 1485 | 1460 | 1435 | 1435 |
| Mounting Height | | | | | |

Explore Bobrick's extensive range of Combination Units at bobrick.co.uk.



PAPER TOWEL DISPENSERS


Save paper. Save money. Save labour.

An inappropriate paper towel dispenser specification—and an effective specification—can affect a washroom’s operating efficiency for years. Bobrick Paper Towel Dispensers and the TowelMate paper towel-saving accessory are engineered to provide building owners with greater control over paper towel consumption and purchasing options, all while reducing waste and minimising labour expense associated with refilling and maintaining dispensing units.





ROLL OR FOLD?



Roll Paper Towels

Benefits

- More sustainable than folded paper towels in most buildings
- Can feature adjustable towel pull lengths, shorter second pull lengths
- Stub roll utilisation feature provides complete consumable usage at less replacement time

Ideal Applications

- Buildings where sustainable operation is important
- High-traffic facilities
- Projects with stringent operating budgets



Folded Paper Towels

Benefits

- Can be dispensed one at a time with TowelMate accessory installed, reducing waste
- Faster dispensing of towels
- Dispensers may be concealed, countertop mounted or have minimal wall protrusion

Ideal Applications

- Washrooms where low-profile design is desired, but recessed roll dispensers are not viable
- Prestige buildings with low-to-medium traffic where a minimalistic design theme is preferred



PAPER TOWEL DISPENSERS



B-4262 ConturaSeries

Surface-Mounted Paper Towel Dispenser with TowelMate

Satin-finish stainless steel. Top of cabinet equipped with key lock. Secured to cabinet with a full-length stainless steel piano-hinge. Dispenses 400 C-fold or 525 multifold towels. Cabinet slots indicate refill time. Includes built-in TowelMate. Patented.



| | Unit |
|-------------------------------|------|
| Width | 275 |
| Height | 343 |
| Depth | 124 |
| Accessibility Mounting Height | 1320 |



B-318 TrimLineSeries

Concealed Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 600 C-fold or 900 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible.

| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 291 | 305 |
| Height | 457 | 617 |
| Recess | 109 | 114 |
| Accessibility Mounting Height | 1140 | 1140 |




B-526 TrimLineSeries

Countertop-Mounted Recessed Paper Towel Dispenser

Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Housing below countertop to conceal dispenser is not included.

| | Unit | Countertop Opening |
|------------|------|--------------------|
| Width | 324 | 311 |
| Height | 152 | 114 |
| Recess | 281 | 432 |
| Projection | 6 | N/A |



NEW B-359039
TrimLineSeries

Surface-Mounted Paper Towel Dispenser

Heavy-gauge stainless steel with all-welded construction. Removable skirt is Type 304 stainless steel. Accommodates 300 C-fold or 400 multifold towels. Door-swing limiter prevents damage to washroom accessories and walls.



| | Unit |
|-------------------------------|------|
| Width | 325 |
| Height | 440 |
| Depth | 115 |
| Accessibility Mounting Height | 1270 |



B-262
ClassicSeries

Surface-Mounted Paper Towel Dispenser

Satin-finish stainless steel. Hemmed towel tray opening. Dispenses 400 C-fold 525 multifold towels. Door has key lock and piano-hinge. Cabinet slots indicate refill time.



| | Unit |
|-------------------------------|------|
| Width | 275 |
| Height | 343 |
| Depth | 124 |
| Accessibility Mounting Height | 1320 |



B-359
ClassicSeries

Recessed Paper Towel Dispenser

Satin-finish stainless steel. Seamless, beveled flange. Dispenses 350 C-fold or 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.



| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 324 | 286 |
| Height | 437 | 397 |
| Recess | 102 | 102 |
| Projection | 5 | N/A |
| Accessibility Mounting Height | 1320 | 1295 |



TOWELMATE

PAPER TOWEL-SAVING ACCESSORY

TOWELMATE

Paper Towel-Saving Accessory

Eliminates the dispensing of handfuls of towels with the "Perfect Pull Rod" separating and dispensing individual C- or multifold towels. Patented TowelMate accessory installs in existing cabinets without tools and fits Bobrick dispensers and similar models of other manufacturers. Patented.



TowelMate Part No.

Models

| | |
|-----------|--|
| 3803-130 | B-3803, B-38032 |
| 39003-130 | B-39003, B-390034, B-369034 |
| 369-130 | B-359, B-35903, B-369, B-36903, B-3699, B-359033, B-359039 |
| 3944-130 | B-39034, B-380349, B-3942, B-3944, B-3947, B-3949 |
| 262-130 | B-262, B-2620, B-2621, B-26212 |



3944-130



39003-130



369-130



Reduces towel usage up to 20% by dispensing one towel at a time.



AUTOROLL DISPENSER SERIES

FEATURING PATRON-FRIENDLY INDICATOR LIGHTS



B-3974 Classic Series

Recessed Convertible
Automatic Roll Towel
Dispenser/Waste Bin



3974-250 Interchangeable Module



B-29744 Automatic Semi-Recessed Roll Towel Dispenser

Surface-mounted B-2974
is also available.

Features & Benefits

- Converting from folded towels to roll towels saves 30%
- Open-market non-proprietary purchasing provides freedom from locked-in contract prices
- Adjustable lengths and stub roll utilisation for zero waste
- Sustainable type 304 satin-finish, 50%-75% recycled post-industrial stainless steel
- Durable fabrication, hygienic operation, accessibility-compliant

Color Indicator Lights

- Green: Ready to dispense
- Red: Contact maintenance
- Orange: Low batteries*

*3974-57 AC adapter eliminates battery requirement

Patented.

Review Interchangeable Module options on page 13. Additional AutoRoll Dispenser options available at bobrick.co.uk.





HAND DRYERS

The right hand dryer specification supports your vision.

For decades, hand dryers have become known for excessive noise levels, high energy usage, slow dry times and institutional design. However, Bobrick's line of Hand Dryers offers contemporary options that can eliminate these challenges across a range of building types. Support a high-end aesthetic with distinguished, low-profile designs. Take advantage of low-wattage operation to reduce energy expense. Specify a quiet model consistent with the tranquil experience that patrons may expect. And if you so desire, achieve all of these benefits while eliminating paper towels and associated waste completely.





BALANCING NOISE, ENERGY AND DESIGN

To ensure optimal use of hand dryers, it is essential to take a holistic approach to product selection. Before specifying a hand dryer, consider the following:



A **low-wattage** jet dryer can help mitigate the energy impact of hand dryers, especially in high-traffic environments.



Many hand dryers have an institutional aesthetic. **Low-profile stainless steel** units can elevate design.



Excess or unpleasant noise can negatively impact the patron experience. A hand dryer with a **low decibel (dBA) rating** can help ensure appropriate acoustics for your project.



Water splashing and puddles are common complaints associated with many hand dryers. A drying alcove can **catch and absorb water**, thereby reducing maintenance while improving safety and hygiene.

DESIGNER'S NOTE

Although green building standards, such as LEED and others throughout the world, are typically a primary focus of sustainability efforts, they do not address many operational issues. Approaching product selection from an operational standpoint can ensure authentic, long-term sustainability.



NEW

HAND DRYER INNOVATIONS

LOW-WATTAGE & LOW-PROFILE OPTIONS



NEW B-3725 **TrimLineSeries**

Recessed Hand Dryer

Recessed automatic hand dryer featuring low-profile design and a 150mm deep drying alcove to capture dripping water to create a more hygienic washroom that eases janitorial load. Operates at 70 dBA sound level with a sustainable 1.0 KW power rating. Installs in a 100mm wall depth. Patented.



Unit

| | |
|--------|------|
| Width | 406 |
| Height | 1391 |
| Depth | 51 |



NEW B-7125 **InstaDry Hand Dryer**

Surface-mounted high-speed hand dryer with an energy consumption of only 200 watts, making it the most sustainable jet dryer on the market. The slim profile cover projects no more than 98mm from the finished face of wall to comply with accessible design guidelines. Touts a dry time of less than 12 seconds.




Unit

| | |
|--------|-----|
| Width | 319 |
| Height | 274 |
| Depth | 98 |

DESIGNER'S NOTE

While the highly sustainable InstaDry hand dryer is ideal for high-traffic applications, such as transportation centres and stadiums, the Recessed Hand Dryer may be more appropriate for prestige facilities where design, noise and hygiene are priorities.

HAND DRYERS



B-7188 TerraDry™

Surface-Mounted Hand Dryer

Bright-polished chrome die-cast aluminium cover. Operates at a mere 70 dBA. Slim 100mm depth is compliant with accessibility standards.



| | Unit |
|--------|------|
| Width | 258 |
| Height | 350 |
| Depth | 100 |



B-778 DuraDry™

Surface-Mounted Hand Dryer

Sleeker styling enhances washroom aesthetics. Bright-polished, chrome-plated cast aluminium cover. High-velocity output. Operates at a mere 72 dBA.



| | Unit |
|--------|------|
| Width | 266 |
| Height | 308 |
| Depth | 100 |



B-7128 TrimDry™

Surface-Mounted Hand Dryer

Durable, 0.9mm (22-gauge), type 304 satin-finish stainless steel cover with black plastic trim. Operates at 71 dBA.



| | Unit |
|--------|------|
| Width | 350 |
| Height | 345 |
| Depth | 100 |




B-715 Elan™

Surface-Mounted Hand Dryer

Contemporary styling, satin-finish type 304 stainless steel cover. Automatic hand sensor.

| | Unit |
|--------|------|
| Width | 295 |
| Height | 279 |
| Depth | 141 |

Sound Level Comparison of Bobrick's QuietDry™ Series with Brands X and D.



*TEST METHODOLOGY: Noise levels declared for all products are measured in a semi-reverberant laboratory setting with dryer mounted at the manufacturer's recommended height. Visit bobrick.com for additional test results.

Explore Bobrick's extensive range of Hand Dryers and related power requirements at bobrick.co.uk.



WASTE BINS



B-277 ConturaSeries

Surface-Mounted Waste Bin with LinerMate

Satin-finish stainless steel. Top edges are hemmed and bottom of waste bin has recessed finger grip for safe handling. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

| | Unit |
|--------|------|
| Width | 359 |
| Height | 715 |
| Depth | 94 |



B-3644 ClassicSeries

Recessed Waste Bin

Satin-finish stainless steel. Seamless, beveled flange. Removable 45.4L bin locks into cabinet. Hooks hold optional vinyl liner.

| | Unit | Wall Opening |
|------------|------|-----------------|
| Width | 437 | 406 |
| Height | 778 | 743 |
| Recess | 100 | 102 |
| Projection | 105 | N/A |



B-43644 ConturaSeries

Recessed Waste Bin with LinerMate

Satin-finish stainless steel. Removable front panel for easy cleaning. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

| | Unit | Wall Opening |
|------------|------|-----------------|
| Width | 438 | 403 |
| Height | 705 | 667 |
| Recess | 98 | 102 |
| Projection | 129 | N/A |




B-268 ClassicSeries

Surface-Mounted Corner Waste Bin

Ideal for installation near exits where patrons use paper towels to assist door opening. Satin-finish stainless steel. Top and bottom edges hemmed for safety. Hooks hold furnished reusable vinyl liner. Capacity: 49.2L.

| | Unit |
|--------|------|
| Width | 521 |
| Height | 584 |
| Depth | 321 |



NEW B-35633
TrimLineSeries

Recessed Waste Bin

Self-closing door secured with spring-loaded, full-length stainless steel piano hinge. Internal heavy-gauge stainless steel bin is removable for servicing. Capacity: 11.3L.

| | Unit | |
|--------|------|--|
| Width | 359 | |
| Height | 715 | |
| Depth | 94 | |



NEW B-35643
TrimLineSeries

Recessed Waste Bin

Two tumbler locks, full-length stainless steel piano hinge, leak-proof plastic waste container. Capacity: 45.4L.

| | Unit | |
|--------|------|--|
| Width | 440 | |
| Height | 1018 | |
| Depth | 193 | |



B-532
TrimLineSeries

Circular Waste Chute

Satin-finish stainless steel. Flat flange suitable for counter, recessed, or under-counter installation. Provides access to under-counter waste bin (not included).

| | Unit B-532 | Unit B-529 |
|---------------------------|---------------|---------------|
| Outer Dia. | 173 | 176 |
| Inner Dia. | 151 | 140 |
| Recess | 98 | 116 |
| Projection | 0.8 | 11 |
| Countertop Opening | | |
| | B-532 | B-529 |
| Outer Dia. | N/A | N/A |
| Inner Dia. | 153 | 153 |
| Recess | N/A | N/A |
| Projection | N/A | N/A |



B-279
ClassicSeries

Surface-Mounted Waste Bin

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 24.2L.

| | Unit | |
|--------|------|--|
| Width | 356 | |
| Height | 457 | |
| Depth | 153 | |



MIRRORS



B-290 Series

Welded-Frame Mirrors

One piece, roll-formed 19 x 19mm angle-frame. Type 304 stainless steel angle with satin finish. Corners heliarc welded, ground and polished smooth. Beveled frame edge at mirror for improved appearance. No. 1 quality, 6mm glass mirror; warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting. Patented.

| | (B-290) 1830 | 1836 | 2430 | 2436 | 2448 | 2460 | 2472 |
|--------|--------------|------|------|------|------|------|------|
| Width | 46 | 46 | 61 | 61 | 61 | 122 | 61 |
| Height | 76 | 91 | 76 | 79 | 122 | 152 | 183 |



B-165 Series

Channel-Frame Mirrors

One-piece, 13 x 13mm channel-frame. Type 430 stainless steel with bright-polished finish. Mitred corners. Frame screw permits easy replacement of glass. No. 1 quality, 6mm glass mirror warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting.

| | (B-165) 1824 | 1830 | 1836 | 2430 | 2436 | 2448 | 2460 | 4836 |
|--------|--------------|------|------|------|------|------|------|------|
| Width | 46 | 46 | 46 | 61 | 61 | 61 | 61 | 122 |
| Height | 61 | 76 | 91 | 76 | 91 | 122 | 152 | 91 |



B-293 Series

Fixed-Position Tilt Mirrors

Provide visibility for wheelchair users. Type 304 stainless steel, satin-finish frame with beveled edges provides gapless fit for improved appearance and safety. No. 1 quality, 6mm glass mirror electrolytically copper-plated. Extends 111mm from wall at top and tapers to 33mm at bottom. Mounting frame with tumbler lock is separate for easy replacement of glass. Patented.

| | (B-293) 1830 | 1830 | 2436 |
|--------|--------------|------|------|
| Width | 46 | 46 | 61 |
| Height | 76 | 91 | 91 |

Special-Order Custom Sizes

| Series | B-290 | B-165 | B-293 |
|-------------|-------|-------|-------|
| Max. Width | 366 | 224 | 122 |
| Max. Height | 183 | 183 | 91 |



B-1658 Series & B-2908 Series

Standard Size Tempered Glass Mirrors

Tempered mirrors are engineered for heavy-traffic, vandal-prone bathrooms in stadiums, outdoor recreation centres and low-supervision facilities such as parks and public toilets.

Tempered glass mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Bobrick uses the highest quality tempered glass mirrors. Modest distortion or heat-generated markings are normal in the tempered glass mirror manufacturing process. Therefore, Bobrick will not accept returns of tempered glass mirrors with random distortion or markings.



B-1658 Series

Standard Size Tempered Glass Channel-Frame Mirrors

Same frame as B-165 Series.
6mm tempered glass mirror.

| | (B-1658) 1830 | 2436 |
|--------|---------------|------|
| Width | 46 | 61 |
| Height | 76 | 91 |



B-2908 Series

Standard Size Tempered Glass Welded-Frame Mirrors

Same frame as B-290 Series.
6mm tempered glass mirror.

| | (B-2908) 1830 | 1836 | 2436 |
|--------|---------------|------|------|
| Width | 46 | 46 | 61 |
| Height | 76 | 91 | 91 |

Special-Order Reflective Surfaces

Polished Stainless Steel, Tempered and Laminated Glass Mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Available on special order.

DESIGNER'S NOTES

- To specify mirrors, use Series Number desired followed by width, then height in inches.
- Framed mirrors are manufactured to overall dimensions and must be installed with width and height dimensions as ordered.
- For framed mirrors, provide minimum 25mm clearance at top and each side of mirror for mounting on wall hanger



TOILET COMPARTMENT ACCESSORIES




B-6806
Straight Grab Bar
Page 40



B-3588
TrimLineSeries Surface-Mounted Multi-Roll Toilet Tissue Dispenser
Page 37



B-3013
TrimLineSeries Recessed Seat Cover Dispenser
Page 43



B-544
Cubicle Collection Toilet Brush
Page 36







CUBICLE COLLECTION

ADD COORDINATED ELEGANCE TO ANY CUBICLE

Featuring contemporary styling, all Cubicle Collection models share common elements such as threaded escutcheons and post diameters.



B-541
Spare Toilet Roll Holder



B-542
Coat Hook



B-543
Surface-Mounted Toilet Tissue Dispenser for Single Roll



B-544
Toilet Brush Holder



NEW B-546
Toilet Tissue Dispenser with Hood



NEW B-547
Double Toilet Tissue Dispenser



NEW B-548
Double Toilet Tissue Dispenser with Hoods



NEW B-549
Double Coat Hook

TOILET TISSUE DISPENSERS



B-4288 **ConturaSeries** **Surface-Mounted** **Multi-Roll Toilet Tissue** **Dispenser**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

| | Unit |
|-----------------|-------------|
| Width | 154 |
| Height | 279 |
| Depth | 151 |
| Accessibility | 710 |
| Mounting Height | |



B-4388 **ConturaSeries** **Recessed Multi-Roll Toilet** **Tissue Dispenser**

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm in diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

| | Unit | Wall Opening |
|-------------------------------|-------------|---------------------|
| Width | 192 | 159 |
| Height | 318 | 286 |
| Recess | 76 | 80 |
| Projection | 75 | N/A |
| Accessibility Mounting Height | 730 | 710 |



NEW B-3588 **TrimLineSeries** **Surface-Mounted Multi-Roll** **Toilet Tissue Dispenser**

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

| | Unit |
|-----------------|-------------|
| Width | 345 |
| Height | 215 |
| Depth | 115 |
| Accessibility | 710 |
| Mounting Height | |



NEW B-35883 **TrimLineSeries** **Recessed Multi-Roll** **Toilet Tissue Dispenser**

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

| | Unit |
|-----------------|-------------|
| Width | 346 |
| Height | 215 |
| Recess | 100 |
| Projection | 4 |
| Accessibility | 635 |
| Mounting Height | |

| | Wall Opening |
|-----------------|---------------------|
| Width | 318 |
| Height | 187 |
| Recess | 102 |
| Projection | N/A |
| Accessibility | 630 |
| Mounting Height | |



TOILET TISSUE DISPENSERS



B-2888 ClassicSeries

Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

| | Unit |
|-------------------------------|------|
| Width | 154 |
| Height | 279 |
| Depth | 151 |
| Accessibility Mounting Height | 710 |



B-3888 ClassicSeries

Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 192 | 159 |
| Height | 318 | 286 |
| Depth | 76 | 80 |
| Recess | 75 | N/A |
| Accessibility Mounting Height | 730 | 710 |



B-699

Recessed Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 345 | 298 |
| Height | 215 | 133 |
| Depth | 115 | 86 |
| Accessibility Mounting Height | 710 | N/A |



B-6999

Surface-Mounted Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets). **B-69997**, with satin finish, also available.

| | Unit |
|--------|------|
| Width | 314 |
| Height | 157 |
| Depth | 121 |

TOILET TISSUE DISPENSERS



B-6699

Surface-Mounted Toilet Tissue Dispenser with Hood

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

B-66997, with satin finish, also available.

| | Unit |
|--------|------|
| Width | 157 |
| Height | 157 |
| Depth | 121 |



B-2890

Surface-Mounted Single Jumbo Roll Toilet Tissue Dispenser

Satin-finish type 304 stainless steel. Equipped with key lock. Spindle holds one 254mm diameter roll with 76mm diameter core. Convertible for 55mm and 41mm diameter core rolls. Powder-coated mounting plate. Slot in door reveals tissue supply.

| | Unit |
|----------|------|
| Diameter | 271 |
| Depth | 114 |



B-2892

Surface-Mounted Twin Jumbo Roll Toilet Tissue Dispenser

Satin-finish stainless steel. Equipped with key lock. Spindles hold two 254mm diameter rolls with 57mm diameter core rolls; convertible for 76mm diameter core rolls. Sliding access panel exposes one roll at a time, allows easy roll change-over. Wide viewing slot in door.

| | Unit |
|--------|------|
| Width | 529 |
| Height | 289 |
| Depth | 135 |



GRAB BARS

B-6806

Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



| | |
|--------------|------|
| Bar Diameter | 38 |
| Length | 305 |
| | 457 |
| | 610 |
| | 762 |
| | 914 |
| | 1067 |
| | 1219 |

B-68137

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



| | |
|--------------|------|
| Bar Diameter | 38 |
| Width | 914 |
| Length | 1372 |

B-68616

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



| | |
|--------------|-----|
| Bar Diameter | 38 |
| Width | 610 |
| Length | 914 |

DESIGNER'S NOTES

- Check with your local Bobrick distribution partner for regionally compliant products, including ADA, EN, DDA, Doc M and other standards.
- Clearance between wall and grab bar for B-6806 and B-5806 series is 38mm.
- Bar passes through flange and is heliarc welded to form single structural unit.
- Compliance with structural strength requirements: grab bars that provide 38mm clearance from the wall can support loads in excess of 408kg when properly installed.
- Mandrel bending process ensures uniform bar diameter around curves.
- All joints and supports are contour-cut and welded.
- Concealed anchors and fasteners available as an optional accessory.

Series *B-6806

Diameter 38

Finish Satin-Finish

Series *B-5806

Diameter 32

Finish Satin-Finish

** Peened non-slip gripping surface available. Add suffix .99 to model number.*

**B-5806****Straight Grab Bar**

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

| | |
|--------------|------|
| Bar Diameter | 38 |
| Length | 305 |
| | 457 |
| | 610 |
| | 762 |
| | 914 |
| | 1067 |
| | 1219 |

**NEW B-580616****Straight Grab Bar**

Vinyl-coated grab bar for bath/shower/toilet compartment. Bars are corrosion resistant, zinc coated steel pipe with vinyl antibacterial, biocompatible, and warm-to-the-touch coating.

| | |
|--------------|------|
| Bar Diameter | 32 |
| Length | 457 |
| | 510 |
| | 914 |
| | 1057 |

**B-58616****Two-Wall Horizontal Grab Bar**

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

| | |
|--------------|-----|
| Bar Diameter | 32 |
| Width | 610 |
| Length | 917 |

**B-4998****Wall-Mounted Swing-Up Grab Bar**

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Exposed mounting. Use B-4998.99 for version with peened gripping surface. Patented.

| | |
|-----------------------|-----|
| Bar Diameter | 32 |
| Bar Length | 737 |
| Mounting Plate Width | 155 |
| Mounting Plate Height | 220 |





SANITARY BINS



B-4354 ConturaSeries

Partition-Mounted Sanitary Bin

Satin-finish stainless steel. Mounts centred through toilet partitions. Self-closing doors pull down on both sides for access to disposal. Removable, leak-proof, 2.7L plastic bin.

| | Unit | Partition Opening |
|-------------------------------|-------|-------------------|
| Width | 324 | 280 |
| Height | 279 | 240 |
| Partition Thickness | 13-22 | N/A |
| Accessibility Mounting Height | 762 | N/A |



B-270 ConturaSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full length stainless steel piano-hinge. 3.8L.

| | Unit |
|-------------------------------|------|
| Width | 191 |
| Height | 254 |
| Depth | 97 |
| Accessibility Mounting Height | 762 |



B-35303 TrimLineSeries

Recessed Sanitary Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

| | Unit | Wall Opening |
|------------|------|--------------|
| Width | 330 | 292 |
| Height | 481 | 438 |
| Recess | 92 | 95 |
| Projection | 14 | N/A |



NEW B-35139 TrimLineSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door equipped with magnetic catch and cable door-swing limiter. Removable, 2.3L steel bin.

| | Unit |
|--------|------|
| Width | 205 |
| Height | 360 |
| Depth | 115 |




B-254 ClassicSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door has key lock. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

| | Unit |
|--------|------|
| Width | 271 |
| Height | 384 |
| Depth | 103 |



SEAT COVER DISPENSERS



B-4221
ConturaSeries

Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

| | Unit |
|-------------------------------|------|
| Width | 400 |
| Height | 286 |
| Depth | 56 |
| Accessibility Mounting Height | 760 |



B-221
ClassicSeries

Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

| | Unit |
|-------------------------------|------|
| Width | 400 |
| Height | 279 |
| Depth | 51 |
| Accessibility Mounting Height | 760 |



B-3574
ClassicSeries

Recessed Seat Cover Dispenser, Sanitary Napkin Disposal, Toilet Tissue Dispenser

Satin-finish stainless steel. Seamless beveled flange. Mounts in side wall of single compartment. Capacity: 3.0L. Holds 500 toilet seat covers and two rolls of tissue. Theft-resistant spindles. **B-357** for partition-mounted, **B-3579** for surface-mounted.

| | Unit 3574 | Unit 357 | Unit 3579 | Wall Opening | |
|-------------------------------|--------------|-------------|--------------|--------------|------|
| | | | | 3574 | 357 |
| Width | 437 | 437 | 437 | 406 | 394 |
| Height | 778 | 778 | 785 | 743 | 733 |
| Overall Depth | 106 | 110 | 106 | 102 | N/A |
| Projection | 5 | 40 | 105 | N/A | N/A |
| Partition Thickness | N/A | 13-51 | N/A | N/A | N/A |
| Accessibility Mounting Height | 1100 | 1100 | 1130 | 1075 | 1075 |



B-3013
TrimLineSeries

Recessed Seat Cover Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 500 toilet seat covers.

| | Unit | Wall Opening |
|-------------------------------|------|--------------|
| Width | 446 | 403 |
| Height | 332 | 291 |
| Recess | 64 | 70 |
| Accessibility Mounting Height | 1240 | 1220 |



SPECIALTY ACCESSORIES



B-398
Recessed Medicine
Cabinet
Page 46



B-220816
Pedal-Operated
Waste Bin
Page 51



B-918116R
Bariatric Folding
Shower Seat
With Legs
Page 51



Medical Office
Products: B-220816, B-26212, B-165, B-2111, B-7816



Bathroom
Products: B-49916, B-5116,
B-580616, B-2716, B-4207



BATHROOM ACCESSORIES



B-297

Surface-Mounted Medicine Cabinet

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 3mm glass electrolytically copper-plated. Door has enameled steel piano-hinge and magnetic catch.

| | Unit B-297 | Unit B-397 | Wall Opening B-397 |
|-------------------------------------|---------------|---------------|--------------------------|
| Width | 359 | 403 | 356 |
| Height | 514 | 657 | 600 |
| Depth | 95 | 83 | 89 |
| Projection | N/A | 25 | N/A |
| Accessibility Mounting Height | 1495 | 1595 | 1625 |



B-398

Recessed Medicine Cabinet

Type 304 stainless steel, satin-finish. Mirror: No. 1 quality, 6mm glass electrolytically copper-plated. 15-year guarantee against silver spoilage. Door has full-length stainless steel piano-hinge, magnetic catch and cable doorstop. Four adjustable stainless steel shelves. Cabinet may be inverted for right- or left-hand door swing.

| | Unit B-299 | Unit B-398 | Wall Opening B-398 |
|-------------------------------------|---------------|---------------|--------------------------|
| Width | 432 | 432 | 387 |
| Height | 683 | 683 | 648 |
| Depth | 127 | 87 | 92 |
| Projection | N/A | 45 | N/A |
| Accessibility Mounting Height | 1630 | 1630 | 1655 |



NEW B-635

Klutch Mobile Device Holder

Unique stainless steel holder for storing mobile devices. Sleek, compact design "klutches" mobile devices for safety and fits with any décor. Easy installation makes it suitable for toilet compartments, common spaces or private areas. Integrated bag hook holds up to 300 lbs and can accommodate multiple items.

| | Unit |
|--------|------|
| Width | 190 |
| Height | 229 |
| Depth | 60 |



Grand Prize Winner Product Innovations
2019 Presented by BUILDINGS



B-671
Surface-Mounted Single Robe Hook

Bright-polished stainless steel. Flange is 51 x 51mm. Projects 51mm from wall.



B-676
Surface-Mounted Towel Shelf with Towel Bar

Shelf 159mm wide, consists of four 8mm square tubes firmly mounted in support arms. 8mm square towel bar below shelf. 610mm length. Projects 216mm from wall.



NEW B-4207 Series
Curved Shower Rods

Satin-finish curved shower rod fabricated from 20-gauge (1.0mm) stainless steel. Chrome-plated zinc swivel brackets.

| | B-4207x60 | B-4207x72 |
|--------------------------------|-----------|-----------|
| Diameter | 25 | 25 |
| Outward Curve (Ends to Center) | 229 | 229 |
| Length | 1524 | 1829 |



B-680
Surface-Mounted Soap Dish

Bright-polished stainless steel. Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes. Unit 114mm wide, 51mm high; projects 86mm from wall.



B-545
Cubicle Collection

Surface-Mounted Towel Bar

Satin-finish stainless steel. Threaded flanges conceal mounting plates, provide snug fit into wall. Flanges have 50mm diameter, projects 33mm from wall. Available in 457mm and 610mm lengths. See page 36 for other Cubicle Collection models.



204-2
Vinyl Shower Curtain

Opaque, matte white vinyl, 0.2mm thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top. Bottom and sides are hemmed. Curtain 1067mm wide, 1829mm high. Requires 7 hooks, not included.



KOALA KARE PRODUCTS

THE RECOGNISED LEADER IN CHILDCARE ACCESSORIES

Bobrick is a proud parent of Koala Kare Products, the world's most recognised brand of Baby Changing Stations and commercial childcare products. Parents appreciate establishments that provide safe, sanitary amenities for their children, and Koala has redefined family-friendly accommodation through safety, compliance, peace of mind as well as recessed and stainless steel high-end design options. Microban™ antibacterial product protection, a Koala Baby Changing Station exclusive, helps keep Stations cleaner between cleanings.



DESIGNER'S NOTES

- All Baby Changing Station models (except KB208) equipped with built-in Sanitary Bed Liner Dispensers (liners sold separately).
- Many Koala Kare Baby Changing Station models comply with EN 12221-1/-2 European Standards (KB200-INB, KB200-SS-INB and KB208-INB only), ANSI S117.1 Accessible and Usable Buildings and Facilities, ASTM F2285-04 Standard Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, ASTM G22 Antibacterial Standards, ADA Accessibility Standards for height (except KB101, KB110-SSRE and KB111), reach, projection, operation when correctly installed, as well as the TÜV Certification program (KB200, KB200-SS and KB208 only).



KB200-01SS

Koala Kare Horizontal Wall-Mounted Baby Changing Station with Stainless Steel Veneer

Grey polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in white granite (-05). Add suffix -INB to model number for units in Europe and the United Kingdom. Patented.

| | Unit |
|--------------------|------|
| Width | 894 |
| Height | 565 |
| Projection, Closed | 102 |
| Projection, Open | 589 |



KB110-SSRE

Koala Kare Horizontal Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions. Add suffix -INB to model number for units in Europe and the United Kingdom.

KB110-SSWM similar to KB110-SSRE, but surface-mounted.



| | Unit (KB-110)-SSRE | Unit -SSWM | Wall Opening -SSRE |
|--------------------|-----------------------|---------------|-----------------------|
| Width | 940 | 892 | 902 |
| Height | 584 | 508 | 521 |
| Recess | 108 | N/A | 108 |
| Projection, Closed | 6 | 102 | N/A |
| Projection, Open | 381 | 483 | N/A |



KB111-SSRE

Koala Kare Vertical Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions. Add suffix -INB to model number for units in Europe and the United Kingdom.

KB111-SSWM similar to KB111-SSRE, but surface-mounted.

| | Unit (KB-111)-SSRE | Unit -SSWM | Wall Opening -SSRE |
|--------------------|-----------------------|---------------|-----------------------|
| Width | 616 | 565 | 562 |
| Height | 1003 | 902 | 905 |
| Recess | 102 | N/A | 102 |
| Projection, Closed | 38 | 133 | N/A |
| Projection, Open | 794 | 889 | N/A |



CHILDCARE ACCESSORIES



KB200-00

Koala Kare Horizontal Wall-Mounted Baby Changing Station

Cream polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in grey (-01), white granite (-05) and earth (-11). Add suffix -INB to model number for units in Europe and the United Kingdom. Patented.

| | Unit |
|--------------------|------|
| Width | 894 |
| Height | 565 |
| Projection, Closed | 102 |
| Projection, Open | 589 |



KB208-01

Koala Kare Oval Wall-Mounted Baby Changing Station

Grey polyethylene with steel pivot rod secured in metal tube. 2 bag hooks. Also in Grey Granite (-12) and Sandstone (-14). Add suffix -INB to model number for units in Europe and the United Kingdom.

| | Unit |
|--------------------|------|
| Width | 864 |
| Height | 533 |
| Projection, Closed | 102 |
| Projection, Open | 533 |



KB101-00

Koala Kare Vertical Wall-Mounted Baby Changing Station

Cream polyethylene. Smooth, concave changing bed with safety straps, integral liner dispenser, bag hooks and moulded instructions, including Braille. Also in grey (-01) and white granite (-05). Add suffix -INB to model number for units in Europe and the United Kingdom.

| | Unit |
|--------------------|------|
| Width | 559 |
| Height | 902 |
| Projection, Closed | 133 |
| Projection, Open | 889 |



NEW B-918116 Series

Bariatric Folding Seats with Legs

Seat has three front swing-down zinc-plated steel legs with white vinyl antibacterial coating. Seat is high-pressure laminate with matte-finish, white-coloured surfaces. Can be folded up when not in use. Has strength to support 500kg when properly installed.

[B-918116R](#) for right-hand seat. [B-918116L](#) for left-hand seat.



NEW B-50516

Recessed Heavy Duty Specimen Pass-Through Cabinet

Satin-finish stainless steel cabinet with interlocking doors to prevent the opening of both doors at same time. Compliant with ICC/ANSI A117.1 for operation with one hand with less than 22.2N of force without tight grasping, pinching or twisting of the wrist.

| | B-50516 | B-50517 |
|------------|---------|---------|
| Width | 343 | 343 |
| Height | 343 | 343 |
| Depth | 178 | 280 |
| Wall Depth | 76-152 | 76-254 |



NEW B-7816

Charting Station/Shelf

Satin-finish folding charting station constructed of 20 gauge (0.91mm), Type 304 stainless steel. Desk top supported by two articulating support arms that retract into a concealed location within the desk. Folds up to a compact, minimal profile. Suitable for writing, laptop computer or instrument storage.

| | Unit |
|-------------|------|
| Width | 560 |
| Depth, Open | 381 |
| Height | 406 |
| Depth, Open | 35 |



NEW B-220816

Pedal-Operated Waste Bin

Satin-finish stainless steel. Receptacle clamps hold disposable liner in place. Non-slip foot pedal enables hands-free opening. Included is a free infectious and hazardous waste adhesive label to identify refuse that requires special handling. Labels meet OSHA labeling requirements. Capacity: 30.3L. [B-221216](#) similar to B-220816, but with 45.4L capacity.

| | B-220816 | B-221216 |
|--------|----------|----------|
| Width | 288 | 335 |
| Height | 533 | 597 |
| Depth | 321 | 356 |



WHY BOBRICK?

PORTFOLIO OF VALUES

What makes Bobrick an industry leader? A legacy of commitment to solving the challenges that matter most to architects, building owners, facility managers and patrons.

BOBRICK

Architects, developers and facility managers have selected Bobrick's performance-engineered washroom accessories with confidence for more than a century. As the market leader, we deliver building owner value through design excellence, compliance, sustainability and economical cost-in-use.

DESIGN

Three design-integrated series of accessories include ConturaSeries for prestige properties, TrimLineSeries for up-scale buildings and ClassicSeries for standard use and heavy-traffic projects. From Class A to education and healthcare, recessed and surface-mounted, we have your design.

DURABLE

Robust engineering and built-in maintainability are the standards for our products, providing long-lasting functionality. Reduced repair and replacement costs also deliver a positive impact on the operating budget.

HYGIENIC

Bobrick is at the forefront of the touch-free commercial restroom with automatic models to limit cross contamination. Our stainless products are easy to maintain and sanitise through regular cleaning. Microban™ Antimicrobial protection is a Koala™ baby changing station exclusive.

SUSTAINABLE

Accessories fabricated of 50% - 70% post-industrial stainless steel contribute toward LEED International certification. Soap and towel dispensers are engineered to reduce consumables, thereby reducing the operating footprint of a given building.

ECONOMICAL


Cost-in-use savings are also trademarks of Bobrick restroom accessories. Products are designed to control soap and paper towel usage, reduce labour and maintenance expense, and to be vandal-resistant. Savings calculators, available online, confirm the substantial savings and return on investment.

FREEDOM

Non-proprietary dispensing of universal paper towels and bulk soap help building owners escape the high prices of consumable contracts common to closed system products. This facilitates open-market procurement and the ability to take advantage of a large variety of soap and towel options.

COMPLIANT

Bobrick is committed to offering the support you need to satisfy EN, DDA, Doc M, ICC/ANSI and other compliance standards throughout the world. Accessories are engineered to meet the latest accessibility requirements, such as wall protrusion, mounting heights, reach and operation. Bobrick gladly provides detailed consultation on compliant product selection and installation.



THE BOBRICK ADVANTAGE:
GLOBAL SPECIFICATIONS PROGRAM

Only Bobrick’s global representatives can assist in global specifications and distribution fulfillment throughout the world.

HOW IT WORKS

Architectural Inception

Architects in major global centers work on large projects and specify Bobrick brands on overseas projects such as:

- Airports
- Five-Star Hotels
- Convention Centers
- Office Buildings
- Museums
- Shopping Malls
- Universities
- Hospitals

Bobrick can assist in writing and advising on appropriate specifications to meet the values you desire for your project.

Bobrick Engagement

Bobrick’s global, regionally-based architectural representatives follow up on these global opportunities to assist in the specification and with distribution. Complex projects throughout the world can be managed by Bobrick’s International team to ensure seamless fulfillment.

Our representatives can secure strong basis-of-design specifications and provide appropriate sourcing and fulfillment partners.

HAVE A PROJECT?

Let us assist you. **Contact Bobrick International at globalspecs@bobrick.com or 1.818.392.1080.**



Hamad Airport, Qatar



Marina Bay Sands Hotel, Singapore



Maracanã Stadium, Brazil



Mumbai International Airport, India



National Convention Centre, Qatar



BUILDING VALUE SINCE 1906

Bobrick International

Bobrick.com

Bobrick.co.uk

Bobrick.la

Bobrick.de

| | | |
|----------------------|---------------------|--|
| Europe | +44 (0)20 8366 1771 | euoffice@bobrick.com |
| UK | +44 (0)20 8366 1771 | info@bobrick.co.uk |
| Germany | 0800.79.00.456 | euoffice@bobrick.com |
| Spain | +34 609 791 484 | euoffice@bobrick.com |
| Latin America | +1.954.755.8934 | international@bobrick.com |
| Middle East | +971 (50) 1747386 | infomea@bobrick.com |
| Australia | 1800.353158 | international@bobrick.com |
| Asia | +971 (50) 1747386 | infomea@bobrick.com |
| Corporate | +1.818.764.1000 | international@bobrick.com |

Illustrations and descriptions herein are applicable to production as of the date of this catalogue. The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions.

For product warranty information, including warranty conditions and limitations for Bobrick Washroom Accessories, Koala Kare Products Baby Changing Stations and Child Protection Seats and other products, please visit bobrick.com.

Bobrick, Koala Kare and MICROBAN and other brand names are registered with the United States Patent and Trademark Offices and as trademarks in several countries throughout the world. For patent information, please visit bobrick.com/patents.

