# KOMPACT washbasin and floor-standing WC combination

Ref. 160600

Polished satin 304 stainless steel. Wall mount. Floor mount WC on RHS



#### **ADVANTAGES**



Bacteriostatic 304 stainless steel



Suitable for secure sector

#### DESCRIPTION

## $\begin{tabular}{ll} KOMPACT washbasin and floor-standing WC combination - Ref. \\ 160600 \end{tabular}$

Combination unit: washbasin and floor-standing WC pan on right side with recessed toilet roll holder.

Wall-mounted installation with 3 access panels, 2 on the sidesand 1 on the top with theft prevention TORX security screws.

Bacteriostatic 304 stainless steel.

Polished satin finish.

Stainless steel unit thickness: 2mm.

Rounded corners and edges for improved safety.

Smooth surface for easy cleaning.

Suitable for prisons, police stations, etc.

WC pan is completely welded to washbasin, no screws:

makes cleaning easier and prevents concealment of objects.

Washbasin equipped with time flow tap: stainless steel tamperproofpush-

button and anti-blocking system, 7 second time flow, M1/2".

WC equipped with time flow flush valve, 7 second time flow, M3/4".

Water inlet: washbasin M1/2", WC M3/4".

Recessed horizontal water outlet: Ø 100mm.

Supplied with washbasin siphon.

Easy to install: only one water outlet for both washbasin and WC,water inlet and outlet already connected.

Weight: 36kg.

[Formerly ref: 0610030006]

### **TECHNICAL FEATURES**

KOMPACT washbasin and floor-standing WC combination - Ref. 1606

Height	1000mm
Length	735mm
Width	725mm
Thickness	2mm
Finish	304 polished satin stainless steel



