

**PRESTO®**  
loves water

40 years  
of touchless  
sensor taps



PRESTO  
SAFE®

New electronic touchless  
washbasin self-closing tap



FRENCH TOUCHLESS SENSOR SANITARYWARE



### Design

A compact and discreet design that fits into any environment



### Reliability

Designed and tested for intensive use



### Comfort for everyone

Touchless tap suitable for disabled people, children and the elderly



### Guaranteed water savings

Thanks to its automatic closing and a short delay of 7 seconds



### Security

Automatic closing of the tap in case of low battery or sensor deterioration

### Wall-mounted single or mixer tap

- 64675 - PRESTO SAFE® single tap without stop valve 3 l/min - Ø G 1/2"
- 64677 - PRESTO SAFE® single tap without stop valve 1.9 l/min - Ø G 1/2"
- 68075 - PRESTO SAFE® mixer with stop valves 3 l/min - Ø G 3/8"

### Deck-mounted single or mixer tap

- 64679 - PRESTO SAFE® single tap without stop valve 3 l/min - Ø G 1/2"
- 64681 - PRESTO SAFE® single tap without stop valve 1.9 l/min - Ø G 1/2"
- 68077 - PRESTO SAFE® mixer with stop valves 3 l/min - Ø G 3/8"



### Hygiene

- Automatic triggering without manual contact: respect of barrier gestures
- Periodic automatic flush and resistant to thermal shock to prevent bacterial growth



### Respected uses

Allows to preserve the natural uses of the targeted places: washing hands, drinking from the tap, filling a water container...



## SPECIFICATIONS

- Single or mixer tap
- Factory preset 7 sec delay
- Flow rate: 1.9 l/min or 3 l/min
- Long-life lithium battery
- Chrome finish
- Wall-mounted or deck-mounted



## INSTALLATION & MAINTENANCE

### Easy maintenance

Full access to the integrated system (battery, solenoid valve, cell, etc.) without removing the tap. Simply open the cover with an invisible screw located on the front of the tap

No service parts located underneath the washbasin or behind the wall

### « PLUG & PLAY » installation

Use of existing hydraulic networks and inlets

### « PLUG & PLAY »


#### Easy installation

Quick replacement of a G1/2" mechanical tap with a touchless sensor single tap



### Editable parameters

The flow duration, frequency and duration of automatic rinsing can be modified via the PRESTOCOM interface





## SECURITY PROVIDED BY TOUCHLESS TECHNOLOGY

To ensure good hand hygiene, health authorities recommend regular hand washing. In public places, the effort is twofold and technologies without manual contact make it possible: **make the toilets as secure** as possible and thus prevent the transfer of bacteria or viruses.

**Let's help set up barrier gestures!**

## PROTECT PUBLIC AND COMMERCIAL PLACES FROM BACTERIA

During periods of non-use of sanitary facilities (weekends, school holidays, health crises, etc.), the taps are not used. The water in the networks stagnates and promotes the development of bacteria such as Legionella or pseudomonas. The periodic automatic flush of the PRESTO SAFE® avoids this stagnation and thus to have an operational public building even after a long period of inactivity!

**PRESTO®**  
loves water

## TARGET AUDIENCE

Elementary schools  
High schools, Junior high  
Kinder garden  
Cafés, Hotels, Restaurants  
Swimming pools  
Leisure Centers  
Campsites  
Industries  
Administrations

...



**PRESTO**



LES ROBINETS PRESTO S.A.

7, RUE RACINE  
92542 MONTROUGE CEDEX - FRANCE

Tel.: +33 (0)1 46 12 34 56 | Fax: +33 (0)1 47 35 69 82

Email: [adv.export@presto.fr](mailto:adv.export@presto.fr)

[www.presto.fr](http://www.presto.fr) | [www.presto-group.com](http://www.presto-group.com) | [www.prestobim.com](http://www.prestobim.com)



PRESTO MIDDLE EAST / DMCC

GABC 10TH FLOOR, SWISS TOWER, CLUSTER Y  
JLT PO BOX 643718 DUBAI  
UNITED ARAB EMIRATES

Tel.: +971 52 79 32409

Email: [d.heyberger@presto.fr](mailto:d.heyberger@presto.fr)

[www.presto-group.com](http://www.presto-group.com) | [www.prestobim.com](http://www.prestobim.com)